

PLAINVIEW WATER DISTRICT  
2010 WATER QUALITY DATA

PARAMETERS (mg/l)	MAX. CONT. LEVEL	DETECT. LIMITS	WELL NO. 1-1 N-4095 <sup>(1)</sup>		WELL NO. 1-2 N-4096 <sup>(1)</sup>		WELL NO. 2-1 N-7526 <sup>(3)</sup>		WELL NO. 3-1 N-4097	
			MAX. RESULT	AVG. RESULT	MAX. RESULT (Raw/Treat)	AVG. RESULT (Raw/Treat)	MAX. RESULT (Raw/Treat)	AVG. RESULT (Raw/Treat)	MAX. RESULT	AVG. RESULT
<b>INORGANIC</b>										
ARSENIC	10.0 ug/l	3.0 ug/l	ND	ND	ND	ND	ND	ND	OUT OF SERVICE	
BARIUM	2.0 mg/l	0.2 mg/l	ND	ND	ND	ND	ND	ND		
CADMIUM	5.0 ug/l	5.0 ug/l	ND	ND	ND	ND	ND	ND		
CHROMIUM	0.10 mg/l	0.01 mg/l	ND	ND	ND	ND	ND	ND		
COPPER	[1.3] mg/l	0.02 mg/l	ND	ND	ND	ND	0.1/0.3	0.1/0.3		
FLUORIDE	2.2 mg/l	0.1 mg/l	ND	ND	ND	ND	ND	ND		
LEAD	[15.0] ug/l	1.0 ug/l	ND	ND	ND	ND	ND	ND		
MERCURY	2.0 ug/l	0.2 ug/l	ND	ND	ND	ND	ND	ND		
LANGLIER SATURATION INDEX	None	None	-4.43	-4.43	-5.96	-5.96	-5.51/-3.04	-4.71/-3.04		
SELENIUM	5.0 ug/l	5.0 ug/l	ND	ND	ND	ND	ND	ND		
SILVER	0.1 mg/l	0.01 mg/l	ND	ND	ND	ND	ND	ND		
SODIUM	**20/270 mg/l	0.2 mg/l	1.9	1.9	11.4	11.4	6.0 <sup>(2)</sup> /5.3 <sup>(2)</sup>	5.7/5.3		
ZINC	5.0 mg/l	0.02 mg/l	ND	ND	0.02	0.02	ND	ND		
COLOR	15 Units	5 Units	ND	ND	ND	ND	ND	ND		
TURBIDITY	5 Units	1 Unit	ND	ND	ND	ND	ND	ND		
ODOR	3 Units	0 Units	ND	ND	ND	ND	ND	ND		
IRON	0.3 mg/l	0.02 mg/l	0.03	0.03	ND	ND	0.06 <sup>(2)</sup> /0.03 <sup>(2)</sup>	0.03/0.03		
MANGANESE	0.3 mg/l	0.01 mg/l	ND	ND	ND	ND	0.01/ND	0.01/ND		
AMMONIA	None	0.1 mg/l	ND	ND	ND	ND	ND	ND		
NITRITE	1.0 mg/l	0.1 mg/l	ND	ND	ND	ND	ND	ND		
NITRATE	10.0 mg/l	0.1 mg/l	4.4 <sup>(2)</sup>	4.2	9.6 <sup>(6)</sup> /8.3 <sup>(2)</sup>	7.8/7.7	4.0/4.0	3.9/4.0		
CHLORIDE	250 mg/l	1.0 mg/l	6.7	6.7	14.5	14.5	7.9/7.8	7.7/7.8		
TOTAL HARDNESS	None	1.0 mg/l	16.2	16.2	26.9	26.9	17.6 <sup>(2)</sup> /14.5 <sup>(2)</sup>	15.8/14.4		
TOTAL ALKALINITY	None	0 mg/l	2.4	2.4	1.8	1.8	4.6/2.2	2.3/2.2		
pH (BEFORE TREATMENT)	None	None	6.0	6.0	5.3	5.3	6.2/7.5	6.0/7.5		
TOTAL DISSOLVED SOLIDS	None	5.0 mg/l	48	48	144	144	68/46	57/46		
DETERGENTS (MBAS)	None	0.08 mg/l	ND	ND	ND	ND	ND	ND		
SULFATE	250 mg/l	5.0 mg/l	ND	ND	ND	ND	ND	ND		
FREE CYANIDE	200 ug/l	10.0 ug/l	ND	ND	ND	ND	ND	ND		
ANTIMONY	6.0 ug/l	5.9 ug/l	ND	ND	ND	ND	ND	ND		
BERYLLIUM	4.0 ug/l	3.0 ug/l	ND	ND	ND	ND	ND	ND		
CALCIUM	None	1.0 mg/l	4.5	4.5	7.0	7.0	5.1 <sup>(2)</sup> /3.8 <sup>(2)</sup>	4.3/3.8		
MAGNESIUM	None	1.0 mg/l	1.2	1.2	2.3	2.3	1.3 <sup>(2)</sup> /1.2 <sup>(2)</sup>	1.2/1.2		
NICKEL	0.10 mg/l	0.04 mg/l	ND	ND	ND	ND	ND	ND		
THALLIUM	2.0 ug/l	1.9 ug/l	0.4	0.4	ND	ND	ND	ND		
PERCHLORATE	18 ug/l	1.0 ug/l	1.2	1.2	1.9 <sup>(3)</sup>	1.7	3.0	2.6		

CONT. - CONTAMINANT

ND - NOT DETECTED

\*\* - 20 mg/l IS THE LIMIT FOR PEOPLE ON HIGHLY RESTRICTED SODIUM DIETS AND 270 mg/l FOR THOSE ON MODERATELY RESTRICTED SODIUM DIETS

\*\*\* - EXCEEDS NEW YORK STATE/USEPA LIMITS FOR POTABLE WATER

[ ] - USEPA/NYS/DH ACTION LEVEL

WELL NO. 3-1 - OUT OF SERVICE

( ) - NUMBER OF SAMPLES COLLECTED AND TESTED DURING THE YEAR

**PLAINVIEW WATER DISTRICT  
2010 WATER QUALITY DATA (continued)**

PARAMETERS (mg/l)	MAX. CONT. LEVEL	DETECT. LIMITS	WELL NO. 3-2 N-6580		WELL NO. 4-2 N-6077 <sup>(1)</sup>		WELL NO. 4-3 N-6076 <sup>(1)</sup>		WELL NO. 5-1 N-6956 <sup>(1)</sup>	
			MAX. RESULT	AVG. RESULT	MAX. RESULT	AVG. RESULT	MAX. RESULT	AVG. RESULT	MAX. RESULT	AVG. RESULT
<b>INORGANIC</b>										
ARSENIC	10.0 ug/l	3.0 ug/l	OUT OF SERVICE		ND	ND	ND	ND	ND	ND
BARIUM	2.0 mg/l	0.2 mg/l	OUT OF SERVICE		ND	ND	ND	ND	ND	ND
CADMIUM	5.0 ug/l	5.0 ug/l	OUT OF SERVICE		ND	ND	ND	ND	ND	ND
CHROMIUM	0.10 mg/l	0.01 mg/l	OUT OF SERVICE		ND	ND	ND	ND	ND	ND
COPPER	[1.3] mg/l	0.02 mg/l	OUT OF SERVICE		0.5	0.5	ND	ND	0.04	0.04
FLUORIDE	2.2 mg/l	0.1 mg/l	OUT OF SERVICE		ND	ND	ND	ND	ND	ND
LEAD	[15.0] ug/l	1.0 ug/l	OUT OF SERVICE		ND	ND	ND	ND	2.5	2.5
MERCURY	2.0 ug/l	0.2 ug/l	OUT OF SERVICE		ND	ND	ND	ND	ND	ND
LANGLIER SATURATION INDEX	None	None	OUT OF SERVICE		-4.10	-4.10	-4.37	-4.37	-5.79	-5.79
SELENIUM	50 ug/l	5.0 ug/l	OUT OF SERVICE		ND	ND	ND	ND	ND	ND
SILVER	0.1 mg/l	0.01 mg/l	OUT OF SERVICE		ND	ND	ND	ND	ND	ND
SODIUM	**20/270 mg/l	0.2 mg/l	OUT OF SERVICE		13.9	13.9	0.7	0.7	6.6	6.6
ZINC	5.0 mg/l	0.02 mg/l	OUT OF SERVICE		0.03	0.03	ND	ND	ND	ND
COLOR	15 Units	5 Units	OUT OF SERVICE		ND	ND	ND	ND	ND	ND
TURBIDITY	5 Units	1 Unit	OUT OF SERVICE		ND	ND	ND	ND	ND	ND
ODOR	3 Units	0 Units	OUT OF SERVICE		ND	ND	ND	ND	ND	ND
IRON	0.3 mg/l	0.02 mg/l	OUT OF SERVICE		0.1	0.1	ND	ND	ND	ND
MANGANESE	0.3 mg/l	0.01 mg/l	OUT OF SERVICE		0.02	0.02	ND	ND	ND	ND
AMMONIA	None	0.1 mg/l	OUT OF SERVICE		ND	ND	ND	ND	ND	ND
NITRITE	1.0 mg/l	0.1 mg/l	OUT OF SERVICE		ND	ND	ND	ND	ND	ND
NITRATE	10.0 mg/l	0.1 mg/l	OUT OF SERVICE		***13.2 <sup>(12)</sup>	***10.3	5.0 <sup>(13)</sup>	4.6	3.7 <sup>(12)</sup>	2.9
CHLORIDE	250 mg/l	1.0 mg/l	OUT OF SERVICE		20.6	20.6	8.0	8.0	11.3	11.3
TOTAL HARDNESS	None	1.0 mg/l	OUT OF SERVICE		40.8	40.8	17.3	17.3	12.9	12.9
TOTAL ALKALINITY	None	0 mg/l	OUT OF SERVICE		3.6	3.6	2.8	2.8	ND	ND
pH (BEFORE TREATMENT)	None	None	OUT OF SERVICE		5.8	5.8	6.0	6.0	5.5	5.5
TOTAL DISSOLVED SOLIDS	None	5.0 mg/l	OUT OF SERVICE		138	138	50	50	54	54
DETERGENTS (MBAS)	None	0.08 mg/l	OUT OF SERVICE		ND	ND	ND	ND	ND	ND
SULFATE	250 mg/l	5.0 mg/l	OUT OF SERVICE		5.2	5.2	ND	ND	ND	ND
FREE CYANIDE	200 ug/l	10.0 ug/l	OUT OF SERVICE		ND	ND	ND	ND	ND	ND
ANTIMONY	6.0 ug/l	5.9 ug/l	OUT OF SERVICE		ND	ND	ND	ND	ND	ND
BERYLLIUM	4.0 ug/l	3.0 ug/l	OUT OF SERVICE		ND	ND	ND	ND	ND	ND
CALCIUM	None	1.0 mg/l	OUT OF SERVICE		10.5	10.5	4.5	4.5	3.0	3.0
MAGNESIUM	None	1.0 mg/l	OUT OF SERVICE		3.6	3.6	1.5	1.5	1.3	1.3
NICKEL	0.10 mg/l	0.04 mg/l	OUT OF SERVICE		ND	ND	ND	ND	ND	ND
THALLIUM	2.0 ug/l	1.9 ug/l	OUT OF SERVICE		ND	ND	ND	ND	ND	ND
PERCHLORATE	18 ug/l	1.0 ug/l	OUT OF SERVICE		9.2 <sup>(12)</sup>	6.5	6.4 <sup>(12)</sup>	5.0	5.7 <sup>(12)</sup>	4.3

ND - NOT DETECTED

**Note:** Well 4-2 is blended with low nitrate Well 4-3 to provide water with nitrate levels below 10 ppm.

\*\*\* - EXCEEDS NEW YORK STATE/USEPA LIMITS FOR POTABLE WATER

\*\* - 20 mg/l IS THE LIMIT FOR PEOPLE ON HIGHLY RESTRICTED SODIUM DIETS AND 270 mg/l FOR THOSE ON MODERATELY RESTRICTED SODIUM DIETS

[ ] - USEPA/NYS/DH ACTION LEVEL

WELL NO. 3-2 - OUT OF SERVICE

( ) - NUMBER OF SAMPLES COLLECTED AND TESTED DURING THE YEAR

PLAINVIEW WATER DISTRICT  
2010 WATER QUALITY DATA (continued)

PARAMETERS (mg/l)	MAX. CONT. LEVEL	DETECT. LIMITS	WELL NO. 5-2 N-7421 <sup>(1)</sup>		WELL NO. 5-3 N-7421 <sup>(1)</sup>		WELL NO. 5-4 N-8595 <sup>(1)</sup>		WELL NO. 7-1 <sup>(2)</sup>	
			MAX. RESULT	AVG. RESULT	MAX. RESULT	AVG. RESULT	MAX. RESULT	AVG. RESULT	MAX. RESULT (Raw/Treat)	AVG. RESULT (Raw/Treat)
<b>INORGANIC</b>										
ARSENIC	10.0 ug/l	3.0 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
BARIUM	2.0 mg/l	0.2 mg/l	ND	ND	ND	ND			ND	ND
CADMIUM	5.0 ug/l	5.0 ug/l	ND	ND	ND	ND			ND	ND
CHROMIUM	0.10 mg/l	0.01 mg/l	ND	ND	ND	ND			ND	ND
COPPER	[1.3] mg/l	0.02 mg/l	0.02	0.02	0.1	0.1			ND	ND
FLUORIDE	2.2 mg/l	0.1 mg/l	ND	ND	ND	ND			ND	ND
LEAD	[15.0] ug/l	1.0 ug/l	1.5	1.5	ND	ND			ND	ND
MERCURY	2.0 ug/l	0.2 ug/l	ND	ND	ND	ND			ND	ND
LANGLIER SATURATION INDEX	None	None	-5.34	-5.34	-4.74	-4.74			-5.59/-3.90	-5.59/-3.90
SELENIUM	50 ug/l	5.0 ug/l	ND	ND	ND	ND			ND	ND
SILVER	0.1 mg/l	0.01 mg/l	ND	ND	ND	ND			ND	ND
SODIUM	**20/270 mg/l	0.2 mg/l	11.7	11.7	7.6	7.6			3.1/3.2	3.1/3.2
ZINC	5.0 mg/l	0.02 mg/l	0.02	0.02	0.02	0.02			ND	ND
COLOR	15 Units	5 Units	ND	ND	ND	ND			ND	ND
TURBIDITY	5 Units	1 Unit	ND	ND	ND	ND			ND	ND
ODOR	3 Units	0 Units	ND	ND	ND	ND			ND	ND
IRON	0.3 mg/l	0.02 mg/l	ND	ND	ND	ND			ND	ND
MANGANESE	0.3 mg/l	0.01 mg/l	0.01	0.01	ND	ND			ND	ND
AMMONIA	None	0.1 mg/l	ND	ND	ND	ND			ND	ND
NITRITE	1.0 mg/l	0.1 mg/l	ND	ND	ND	ND			ND	ND
NITRATE	10.0 mg/l	0.1 mg/l	8.2 <sup>(12)</sup>	6.7	4.4 <sup>(7)</sup>	3.3			0.6 <sup>(3)</sup> /0.5	0.5/0.5
CHLORIDE	250 mg/l	1.0 mg/l	19.3	19.3	15.0	15.0			4.5/5.1	4.5/5.1
TOTAL HARDNESS	None	1.0 mg/l	29.2	29.2	19.4	19.4			4.3/5.2	4.3/5.2
TOTAL ALKALINITY	None	0 mg/l	ND	ND	3.5	3.5			ND/1.8	ND/1.8
pH (BEFORE TREATMENT)	None	None	5.6	5.6	5.5	5.5			6.2/7.2	6.2/7.2
TOTAL DISSOLVED SOLIDS	None	5.0 mg/l	88	88	61	61			22/26	22/26
DETERGENTS (MBAS)	None	0.08 mg/l	ND	ND	ND	ND			ND	ND
SULFATE	250 mg/l	5.0 mg/l	ND	ND	ND	ND			ND	ND
FREE CYANIDE	200 ug/l	10.0 ug/l	ND	ND	ND	ND			ND	ND
ANTIMONY	6.0 ug/l	5.9 ug/l	ND	ND	ND	ND			ND	ND
BERYLLIUM	4.0 ug/l	3.0 ug/l	ND	ND	ND	ND			ND	ND
CALCIUM	None	1.0 mg/l	6.8	6.8	4.9	4.9			0.9/1.3	0.9/1.3
MAGNESIUM	None	1.0 mg/l	3.0	3.0	1.7	1.7			0.5/0.5	0.5/0.5
NICKEL	0.10 mg/l	0.04 mg/l	ND	ND	ND	ND			ND	ND
THALLIUM	2.0 ug/l	1.9 ug/l	ND	ND	ND	ND			ND	ND
PERCHLORATE	18 ug/l	1.0 ug/l	14.3 <sup>(12)</sup>	11.2	3.9 <sup>(7)</sup>	2.7			ND	ND

CONT. - CONTAMINANT

ND - NOT DETECTED

\*\* - 20 mg/l IS THE LIMIT FOR PEOPLE ON HIGHLY RESTRICTED SODIUM DIETS AND 270 mg/l FOR THOSE ON MODERATELY RESTRICTED SODIUM DIETS

[ ] - USEPA/NYS/DH ACTION LEVEL

WELL NO. 5-4 - OUT OF SERVICE

( ) - NUMBER OF SAMPLES COLLECTED AND TESTED DURING THE YEAR

**PLAINVIEW WATER DISTRICT  
2010 WATER QUALITY DATA**

PARAMETERS: (ug/l)	MAX. CONT. LEVEL	DETECT. LIMITS	WELL NO. 1-1 N-4095		WELL NO. 1-2 N-4096		WELL NO. 2-1 N-7526		WELL NO. 3-1 N-4097	
			MAX. RESULT	AVG. RESULT	MAX. RESULT	AVG. RESULT	MAX. RESULT	AVG. RESULT	MAX. RESULT	AVG. RESULT
<b>SYNTHETIC ORGANICS CONTAMINANTS (SOC)</b>										
LINDANE	0.2 ug/l	0.025 ug/l	NOT	TESTED	NOT	TESTED	NOT	TESTED	OUT OF	SERVICE
HEPTACHLOR	0.4 ug/l	0.025 ug/l								
ALDRIN	5.0 ug/l	0.025 ug/l								
HEPTACHLOR EPOXIDE	0.2 ug/l	0.025 ug/l								
DIELDRIN	2.0 ug/l	0.05 ug/l								
ENDRIN	2.0 ug/l	0.05 ug/l								
METHOXYCHLOR	40.0 ug/l	0.25 ug/l								
TOXAPHENE	3.0 ug/l	2.5 ug/l								
CHLORDANE	2.0 ug/l	0.5 ug/l								
TOTAL PCBs	0.5 ug/l	0.5 ug/l								
PROPACHLOR	50.0 ug/l	1.0 ug/l								
ALACHLOR	2.0 ug/l	1.0 ug/l								
SIMAZINE	4.0 ug/l	0.5 ug/l								
ATRAZINE	3.0 ug/l	0.5 ug/l								
METOLACHLOR	50.0 ug/l	1.0 ug/l								
METRIBUZIN	50.0 ug/l	0.5 ug/l								
BUTACHLOR	50.0 ug/l	1.0 ug/l								

CONT. - CONTAMINANT

ND - NOT DETECTED

WELL NO. 3-1 - OUT OF SERVICE

NOT TESTED - STATE AND COUNTY TESTING REQUIREMENTS INCLUDE TESTING FOR SOC ONCE EVERY 18 MONTHS. THIS WELL NOT TESTED IN 2010.

( ) - NUMBER OF SAMPLES COLLECTED AND TESTED DURING THE YEAR

**PLAINVIEW WATER DISTRICT  
2010 WATER QUALITY DATA (continued)**

PARAMETERS: (ug/l)	MAX. CONT. LEVEL	DETECT. LIMITS	WELL NO. 3-2 N-6580		WELL NO. 4-2 N-6077		WELL NO. 4-3 N-6078		WELL NO. 5-1 N-6956	
			MAX. RESULT	AVG. RESULT	MAX. RESULT	AVG. RESULT	MAX. RESULT	AVG. RESULT	MAX. RESULT	AVG. RESULT
<b>SYNTHETIC ORGANICS CONTAMINANTS</b>										
<b>(SOC)</b>										
LINDANE	0.2 ug/l	0.025 ug/l	OUT OF SERVICE		NOT TESTED		NOT TESTED		NOT TESTED	
HEPTACHLOR	0.4 ug/l	0.025 ug/l								
ALDRIN	5.0 ug/l	0.025 ug/l								
HEPTACHLOR EPOXIDE	0.2 ug/l	0.025 ug/l								
DIELDRIN	2.0 ug/l	0.05 ug/l								
ENDRIN	2.0 ug/l	0.05 ug/l								
METHOXYCHLOR	40.0 ug/l	0.25 ug/l								
TOXAPHENE	3.0 ug/l	2.5 ug/l								
CHLORDANE	2.0 ug/l	0.5 ug/l								
TOTAL PCBs	0.5 ug/l	0.5 ug/l								
PROPACHLOR	50.0 ug/l	1.0 ug/l								
ALACHLOR	2.0 ug/l	1.0 ug/l								
SIMAZINE	4.0 ug/l	0.5 ug/l								
ATRAZINE	3.0 ug/l	0.5 ug/l								
METOLACHLOR	50.0 ug/l	1.0 ug/l								
METRIBUZIN	50.0 ug/l	0.5 ug/l								
BUTACHLOR	50.0 ug/l	1.0 ug/l								

CONT. - CONTAMINANT

ND - NOT DETECTED

WELL 3-2 - OUT OF SERVICE

NOT TESTED - STATE AND COUNTY TESTING REQUIREMENTS INCLUDE TESTING FOR SOC ONCE EVERY 18 MONTHS. THIS WELL NOT TESTED IN 2010.

( ) - NUMBER OF SAMPLES COLLECTED AND TESTED DURING THE YEAR

**PLAINVIEW WATER DISTRICT**  
**2010 WATER QUALITY DATA (continued)**

PARAMETERS (ug/l)	MAX CONT. LEVEL	DETECT. LIMITS	WELL NO. 5-2 N-7421		WELL NO. 5-3 N-8054		WELL NO. 5-4 N-8595		WELL NO. 7-1	
			MAX. RESULT	AVG. RESULT	MAX. RESULT	AVG. RESULT	MAX. RESULT	AVG. RESULT	MAX. RESULT	AVG. RESULT
<b>SYNTHETIC ORGANICS CONTAMINANTS (SOC)</b>										
LINDANE	0.2 ug/l	0.025 ug/l	NOT	TESTED	NOT	TESTED	OUT OF	SERVICE	NOT	TESTED
HEPTACHLOR	0.4 ug/l	0.025 ug/l								
ALDRIN	5.0 ug/l	0.025 ug/l								
HEPTACHLOR EPOXIDE	0.2 ug/l	0.025 ug/l								
DIELDRIN	2.0 ug/l	0.05 ug/l								
ENDRIN	2.0 ug/l	0.05 ug/l								
METHOXYCHLOR	40.0 ug/l	0.25 ug/l								
TOXAPHENE	3.0 ug/l	2.5 ug/l								
CHLORDANE	2.0 ug/l	0.5 ug/l								
TOTAL PCBs	0.5 ug/l	0.5 ug/l								
PROPACHLOR	50.0 ug/l	1.0 ug/l								
ALACHLOR	2.0 ug/l	1.0 ug/l								
SIMAZINE	4.0 ug/l	0.5 ug/l								
ATRAZINE	3.0 ug/l	0.5 ug/l								
METOLACHLOR	50.0 ug/l	1.0 ug/l								
METRIBUZIN	50.0 ug/l	0.5 ug/l								
BUTACHLOR	50.0 ug/l	1.0 ug/l								

CONT: - CONTAMINANT

ND - NOT DETECTED

WELL NO. 5-4 - OUT OF SERVICE

NOT TESTED - STATE AND COUNTY TESTING REQUIREMENTS INCLUDE TESTING FOR SOC ONCE EVERY 18 MONTHS. THIS WELL NOT TESTED IN 2010.

( ) - NUMBER OF SAMPLES COLLECTED AND TESTED DURING THE YEAR

PLAINVIEW WATER DISTRICT  
2010 WATER QUALITY DATA

PARAMETERS (ug/l)	MAX. CONT. LEVEL	DETECT. LIMITS	WELL NO. 1-1 N-4095		WELL NO. 1-2 N-409		WELL NO. 2-1 N-7526		WELL NO. 3-1 N-4097	
			MAX. RESULT	AVG. RESULT	MAX. RESULT	AVG. RESULT	MAX. RESULT	AVG. RESULT	MAX. RESULT	AVG. RESULT
<b>SYNTHETIC ORGANICS CONTAMINANTS (SOC)</b>										
<b>(CONT'D.)</b>										
2,4-D	50.0 ug/l	0.25 ug/l	NOT	TESTED	NOT	TESTED	NOT	TESTED	OUT OF	SERVICE
2,4,5-TP (SILVEX)	10.0 ug/l	0.13 ug/l								
DINOSEB	7.0 ug/l	0.2 ug/l								
DALAPON	200 ug/l	0.7 ug/l								
PICLORAM	500 ug/l	0.6 ug/l								
DICAMBA	50.0 ug/l	0.08 ug/l								
PENTACHLOROPHENOL	1.0 ug/l	0.2 ug/l								
HEXACHLOROCYCLOPENTADIENE	50.0 ug/l	0.64 ug/l								
bis(2-ETHYLHEXYL)ADIPATE	400 ug/l	1.0 ug/l								
bis(2-ETHYLHEXYL)PHTHALATE	6.0 ug/l	3.0 ug/l								
HEXACHLOROBENZENE	1.0 ug/l	0.25 ug/l								
BENZO(A)PYRENE	0.2 ug/l	0.1 ug/l								
ALDICARB SULFONE	2.0 ug/l	1.0 ug/l								
ALDICARBSULFOXIDE	4.0 ug/l	1.0 ug/l								
ALDICARB	3.0 ug/l	1.0 ug/l								
TOTAL ALDICARBS	7.0 ug/l	1.0 ug/l								
OXAMYL	200 ug/l	1.0 ug/l								
METHOMYL	50.0 ug/l	1.0 ug/l								
3-HYDROXYCARBOFURAN	50.0 ug/l	1.0 ug/l								
CARBOFURAN	40.0 ug/l	1.0 ug/l								
CARBARYL	50.0 ug/l	1.0 ug/l								
GLYPHOSATE	700 ug/l	10.0 ug/l								
DIQUAT	20 ug/l	1.0 ug/l								
ENDOTHALL	100 ug/l	50.0 ug/l								
1,2-DIBROMOETHANE (EDB)	0.05 ug/l	0.02 ug/l								
1,2-DIBROMO-3-CHLOROPROPANE	0.2 ug/l	0.02 ug/l								
DIOXIN	30 Pg/L	5.0 Pg/L								

CONT. - CONTAMINANT

ND - NOT DETECTED

WELL NO. 3-1 - OUT OF SERVICE

Pg/L - PICOGRAMS PER LITER

NOT TESTED - STATE AND COUNTY TESTING REQUIREMENTS INCLUDE TESTING FOR SOC ONCE EVERY 18 MONTHS. THIS WELL NOT TESTED IN 2010.

( ) - NUMBER OF SAMPLES COLLECTED AND TESTED DURING THE YEAR

**PLAINVIEW WATER DISTRICT**  
**2010 WATER QUALITY DATA (continued)**

PARAMETERS (ug/l)	MAX. CONT. LEVEL	DETECT. LIMITS	WELL NO. 3-2 N-6580		WELL NO. 4-2 N-6077 <sup>(1)</sup>		WELL NO. 4-3 N-6076 <sup>(1)</sup>		WELL NO. 5-1 N-6956 <sup>(1)</sup>	
			MAX. RESULT	AVG. RESULT	MAX. RESULT	AVG. RESULT	MAX. RESULT	AVG. RESULT	MAX. RESULT	AVG. RESULT
<b>SYNTHETIC ORGANICS CONTAMINANTS (SOC)</b>										
<b>(CONT'D.)</b>										
2,4-D	50.0 ug/l	0.25 ug/l	OUT OF	SERVICE	NOT	TESTED	NOT	TESTED	NOT	TESTED
2,4,5-TP (SILVEX)	10.0 ug/l	0.13 ug/l								
DINOSEB	7.0 ug/l	0.2 ug/l								
DALAPON	200 ug/l	0.7 ug/l								
PICLORAM	500 ug/l	0.6 ug/l								
DICAMBA	50.0 ug/l	0.08 ug/l								
PENTACHLOROPHENOL	1.0 ug/l	0.2 ug/l								
HEXACHLOROCYCLOPENTADIENE	50.0 ug/l	0.64 ug/l								
bis(2-ETHYLHEXYL)ADIPATE	400 ug/l	1.0 ug/l								
bis(2-ETHYLHEXYL)PHTHALATE	6.0 ug/l	3.0 ug/l								
HEXACHLOROBENZENE	1.0 ug/l	0.25 ug/l								
BENZO(A)PYRENE	0.2 ug/l	0.1 ug/l								
ALDICARB SULFONE	2.0 ug/l	1.0 ug/l								
ALDICARBSULFOXIDE	4.0 ug/l	1.0 ug/l								
ALDICARB	3.0 ug/l	1.0 ug/l								
TOTAL ALDICARBS	7.0 ug/l	1.0 ug/l								
OXAMYL	200 ug/l	1.0 ug/l								
METHOMYL	50.0 ug/l	1.0 ug/l								
3-HYDROXYCARBOFURAN	50.0 ug/l	1.0 ug/l								
CARBOFURAN	40.0 ug/l	1.0 ug/l								
CARBARYL	50.0 ug/l	1.0 ug/l								
GLYPHOSATE	700 ug/l	10.0 ug/l								
DIQUAT	20 ug/l	1.0 ug/l								
ENDOTHALL	100 ug/l	50.0 ug/l								
1,2-DIBROMOETHANE (EDB)	0.05 ug/l	0.02 ug/l								
1,2-DIBROMO-3-CHLOROPROPANE	0.2 ug/l	0.02 ug/l								
DIOXIN	30 Pg/L	5.0 Pg/L								

CONT. - CONTAMINANT

ND - NOT DETECTED

Pg/L - PICOGRAMS PER LITER

WELL NO. 3-2 - OUT OF SERVICE

NOT TESTED - STATE AND COUNTY TESTING REQUIREMENTS INCLUDE TESTING FOR SOC ONCE EVERY 18 MONTHS. THIS WELL NOT TESTED IN 2010.

( ) - NUMBER OF SAMPLES COLLECTED AND TESTED DURING THE YEAR

**PLAINVIEW WATER DISTRICT**  
**2010 WATER QUALITY DATA (continued)**

PARAMETERS (ug/l)	MAX. CONT. LEVEL	DETECT. LIMITS	WELL NO. 5-2 N-7421 <sup>(1)</sup>		WELL NO. 5-3 N-8054 <sup>(1)</sup>		WELL NO. 5-4 N-8595		WELL NO. 7-1 <sup>(1)</sup>	
			MAX. RESULT	AVG. RESULT	ND RESULT	ND RESULT	MAX. RESULT	AVG. RESULT	MAX. RESULT	AVG. RESULT
<b>SYNTHETIC ORGANICS CONTAMINANTS (SOC)</b>										
<b>(CONT'D.)</b>										
2,4-D	50.0 ug/l	0.25 ug/l	NOT	TESTED	NOT	TESTED	OUT OF	SERVICE	NOT	TESTED
2,4,5-TP (SILVEX)	10.0 ug/l	0.13 ug/l								
DINOSEB	7.0 ug/l	0.2 ug/l								
DALAPON	200 ug/l	0.7 ug/l								
PICLORAM	500 ug/l	0.6 ug/l								
DICAMBA	50.0 ug/l	0.08 ug/l								
PENTACHLOROPHENOL	1.0 ug/l	0.2 ug/l								
HEXACHLOROCYCLOPENTADIENE	50.0 ug/l	0.64 ug/l								
bis(2-ETHYLHEXYL)ADIPATE	400 ug/l	1.0 ug/l								
bis(2-ETHYLHEXYL)PHTHALATE	6.0 ug/l	3.0 ug/l								
HEXACHLOROBENZENE	1.0 ug/l	0.25 ug/l								
BENZO(A)PYRENE	0.2 ug/l	0.1 ug/l								
ALDICARB SULFONE	2.0 ug/l	1.0 ug/l								
ALDICARBSULFOXIDE	4.0 ug/l	1.0 ug/l								
ALDICARB	3.0 ug/l	1.0 ug/l								
TOTAL ALDICARBS	7.0 ug/l	1.0 ug/l								
OXAMYL	200 ug/l	1.0 ug/l								
METHOMYL	50.0 ug/l	1.0 ug/l								
3-HYDROXYCARBOFURAN	50.0 ug/l	1.0 ug/l								
CARBOFURAN	40.0 ug/l	1.0 ug/l								
CARBARYL	50.0 ug/l	1.0 ug/l								
GLYPHOSATE	700 ug/l	10.0 ug/l								
DIQUAT	20 ug/l	1.0 ug/l								
ENDOTHALL	100 ug/l	50.0 ug/l								
1,2-DIBROMOETHANE (EDB)	0.05 ug/l	0.02 ug/l								
1,2-DIBROMO-3-CHLOROPROPANE	0.2 ug/l	0.02 ug/l								
DIOXIN	30 Pg/L	5.0 Pg/L								

CONT. - CONTAMINANT

ND - NOT DETECTED

Pg/L - PICOGRAMS PER LITER

WELL NO. 5-4 - OUT OF SERVICE

NOT TESTED - STATE AND COUNTY TESTING REQUIREMENTS INCLUDE TESTING FOR SOC ONCE EVERY 18 MONTHS. THIS WELL NOT TESTED IN 2010.

( ) - NUMBER OF SAMPLES COLLECTED AND TESTED DURING THE YEAR

**PLAINVIEW WATER DISTRICT  
2010 WATER QUALITY DATA**

PARAMETERS (ug/l)	MAX. CONT. LEVEL	DETECT. LIMITS	WELL NO. 1-1 N-4095 <sup>(6)</sup>		WELL NO. 1-2 N-409 <sup>(14)</sup>		WELL NO. 2-1 N-7526 <sup>(26)</sup>		WELL NO. 3-1 N-4097	
			MAX. RESULT	AVG. RESULT	MAX. RESULT	AVG. RESULT	MAX. RESULT	AVG. RESULT	MAX. RESULT	AVG. RESULT
<b>TRihalOMETHANES AND HALOACETIC ACIDS</b>										
CHLOROACETIC ACID	---	< 2.0 ug/l	NOT TESTED		NOT TESTED		NOT TESTED		OUT OF SERVICE	
BROMOACETIC ACID	---	< 1.0 ug/l	NOT TESTED		NOT TESTED		NOT TESTED		OUT OF SERVICE	
DICHLOROACETIC ACID	---	< 1.0 ug/l	NOT TESTED		NOT TESTED		NOT TESTED		OUT OF SERVICE	
TRICHLOROACETIC ACID	---	< 1.0 ug/l	NOT TESTED		NOT TESTED		NOT TESTED		OUT OF SERVICE	
DIBROMOACETIC ACID	---	< 2.0 ug/l	NOT TESTED		NOT TESTED		NOT TESTED		OUT OF SERVICE	
TOTAL HALOACETIC ACID	60 ug/l	< 2.0 ug/l	NOT TESTED		NOT TESTED		NOT TESTED		OUT OF SERVICE	
CHLOROFORM	50 ug/l	< 0.5 ug/l	5.2	1.0	0.6/ND	0.3/ND	3.3/ND	2.3/ND	OUT OF SERVICE	
BROMODICHLOROMETHANE	50 ug/l	< 0.5 ug/l	4.7	0.9	ND	ND	ND	ND	OUT OF SERVICE	
DIBROMOCHLOROMETHANE	50 ug/l	< 0.5 ug/l	4.8	1.0	ND	ND	ND/0.7	ND/0.1	OUT OF SERVICE	
BROMOFORM	50 ug/l	< 0.5 ug/l	2.2	0.4	ND	ND	ND/0.7	ND/0.1	OUT OF SERVICE	
TOTAL TRIHALOMETHANES	80 ug/l	< 1.0 ug/l	16.9	3.3	0.6/ND	0.3/ND	3.3/1.4	2.3/0.2	OUT OF SERVICE	
<b>RADIONUCLIDES</b>										
GROSS ALPHA	15 pCi/L	< 3 pCi/L	0.0838 <sup>(1)</sup>	0.0838	0.6 <sup>(1)</sup>	0.6	0.052 <sup>(1)</sup>	0.052	OUT OF SERVICE	
GROSS BETA	50 pCi/L	< 3 pCi/L	NOT TESTED		NOT TESTED		NOT TESTED		OUT OF SERVICE	
RADIUM 228	---	< 3 pCi/L	1.44 <sup>(1)</sup>	1.44	1.24 <sup>(1)</sup>	1.24	0.702 <sup>(1)</sup>	0.702	OUT OF SERVICE	

CONT. - CONTAMINANT

ND - NOT DETECTED

pCi/L - pico Curies per Liter

WELL NO. 3-1 - OUT OF SERVICE

( ) - NUMBER OF SAMPLES COLLECTED AND TESTED DURING THE YEAR

PLAINVIEW WATER DISTRICT  
2010 WATER QUALITY DATA (continued)

PARAMETERS (ug/l)	MAX. CONT. LEVEL	DETECT. LIMITS	WELL NO. 3-2 N-6580		WELL NO. 4-2 N-6077 <sup>(24)</sup>		WELL NO. 4-3 N-6076 <sup>(4)</sup>		WELL NO. 5-1 N-6956 <sup>(26)</sup>		
			MAX. RESULT	AVG. RESULT	MAX. RESULT (Raw/Treated)	AVG. RESULT (Raw/Treated)	MAX. RESULT	AVG. RESULT	MAX. RESULT (Raw/Treated)	AVG. RESULT (Raw/Treated)	
<b>TRIHALOMETHANES AND HALOACETIC ACIDS</b>											
CHLOROACETIC ACID	---	< 2.0 ug/l	OUT OF SERVICE	SERVICE	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	
BROMOACETIC ACID	---	< 1.0 ug/l			NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED
DICHLOROACETIC ACID	---	< 1.0 ug/l			NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED
TRICHLOROACETIC ACID	---	< 1.0 ug/l			NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED
DIBROMOACETIC ACID	---	< 2.0 ug/l			NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED
TOTAL HALOACETIC ACID	60 ug/l	< 2.0 ug/l			NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED
CHLOROFORM	50 ug/l	< 0.5 ug/l			0.8/ND	0.4/ND	ND	ND	1.0/ND	0.6/ND	ND
BROMODICHLOROMETHANE	50 ug/l	< 0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
DIBROMOCHLOROMETHANE	50 ug/l	< 0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
BROMOFORM	50 ug/l	< 0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
TOTAL TRIHALOMETHANES	80 ug/l	< 1.0 ug/l	0.8/ND	0.4/ND	ND	ND	1.0/ND	0.6/ND	ND		
<b>RADIONUCLIDES</b>											
GROSS ALPHA	15 pCi/L	< 3 pCi/L			0.156 <sup>(1)</sup>	0.156	NOT TESTED	NOT TESTED	0.515 <sup>(1)</sup>	0.515	
GROSS BETA	50 pCi/L	< 3 pCi/L			NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	
RADIUM 228	---	< 3 pCi/L			2.87 <sup>(1)</sup>	2.87	NOT TESTED	NOT TESTED	1.05 <sup>(1)</sup>	1.05	

ND - NOT DETECTED

WELL NO. 3-2 - OUT OF SERVICE

pCi/L - pico Curies per Liter

( ) - NUMBER OF SAMPLES COLLECTED AND TESTED DURING THE YEAR

**PLAINVIEW WATER DISTRICT  
2010 WATER QUALITY DATA (continued)**

PARAMETERS (ug/l)	MAX. CONT. LEVEL	DETECT. LIMITS	WELL NO. 5-2 N-7421 <sup>(28)</sup>		WELL NO. 5-3 N-8054 <sup>(28)</sup>		WELL NO. 5-4 N-8595		WELL NO. 7-1 <sup>(23)</sup>	
			MAX. RESULT (Raw/Treated)	AVG. RESULT (Raw/Treated)	ND RESULT (Raw/Treated)	ND RESULT (Raw/Treated)	MAX. RESULT	AVG. RESULT	MAX. RESULT (Raw/Treated)	AVG. RESULT (Raw/Treated)
<b>TRihalOMETHANES AND HALOACETIC ACIDS</b>										
CHLOROACETIC ACID	---	< 2.0 ug/l	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	OUT OF SERVICE	OUT OF SERVICE	NOT TESTED	NOT TESTED
BROMOACETIC ACID	---	< 1.0 ug/l	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	OUT OF SERVICE	OUT OF SERVICE	NOT TESTED	NOT TESTED
DICHLOROACETIC ACID	---	< 1.0 ug/l	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	OUT OF SERVICE	OUT OF SERVICE	NOT TESTED	NOT TESTED
TRICHLOROACETIC ACID	---	< 1.0 ug/l	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	OUT OF SERVICE	OUT OF SERVICE	NOT TESTED	NOT TESTED
DIBROMOACETIC ACID	---	< 2.0 ug/l	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	OUT OF SERVICE	OUT OF SERVICE	NOT TESTED	NOT TESTED
TOTAL HALOACETIC ACID	60 ug/l	< 2.0 ug/l	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	OUT OF SERVICE	OUT OF SERVICE	NOT TESTED	NOT TESTED
CHLOROFORM	50 ug/l	< 0.5 ug/l	1.6/ND	0.8/ND	1.5/ND	0.7/ND	OUT OF SERVICE	OUT OF SERVICE	2.3/ND	1.7/ND
BROMODICHLOROMETHANE	50 ug/l	< 0.5 ug/l	ND	ND	1.2/ND	0.3/ND	OUT OF SERVICE	OUT OF SERVICE	ND	ND
DIBROMOCHLOROMETHANE	50 ug/l	< 0.5 ug/l	ND	ND	1.6/ND	0.7/ND	OUT OF SERVICE	OUT OF SERVICE	ND	ND
BROMOFORM	50 ug/l	< 0.5 ug/l	ND	ND	1.5/ND	0.6/ND	OUT OF SERVICE	OUT OF SERVICE	ND	ND
TOTAL TRIHALOMETHANES	80 ug/l	< 1.0 ug/l	1.6/ND	0.8/ND	5.8/ND	2.3/ND	OUT OF SERVICE	OUT OF SERVICE	2.3/ND	1.7/ND
<b>RADIONUCLIDES</b>										
GROSS ALPHA	15 pCi/L	< 3 pCi/L	1.88 <sup>(1)</sup>	1.88	0.697 <sup>(1)</sup>	0.697	OUT OF SERVICE	OUT OF SERVICE	0.874 <sup>(1)</sup>	0.874
GROSS BETA	50 pCi/L	< 3 pCi/L	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	OUT OF SERVICE	OUT OF SERVICE	NOT TESTED	NOT TESTED
RADIUM 228	---	< 3 pCi/L	2.38 <sup>(1)</sup>	2.38	1.04 <sup>(1)</sup>	1.04	OUT OF SERVICE	OUT OF SERVICE	0.419 <sup>(1)</sup>	0.419

CONT. - CONTAMINANT

ND - NOT DETECTED

pCi/L - pico Curies per Liter

WELL NO. 5-4 - OUT OF SERVICE

( ) - NUMBER OF SAMPLES COLLECTED AND TESTED DURING THE YEAR

PLAINVIEW WATER DISTRICT  
2010 WATER QUALITY DATA

PARAMETERS (ug/l)	MAX. CONT. LEVEL	DETECT LIMITS	WELL NO. 1-1 N-4096 <sup>(12)</sup>		WELL NO. 1-2 N-4096 <sup>(14)</sup>		WELL NO. 2-1 N-7526 <sup>(25)</sup>		WELL NO. 3-1 N-4097	
			MAX. RESULT	AVG. RESULT	MAX. RESULT (Raw/Treated)	AVG. RESULT (Raw/Treated)	MAX. RESULT (Raw/Treated)	AVG. RESULT (Raw/Treated)	MAX. RESULT	AVG. RESULT
<b>VOLATILE ORGANICS</b>										
DICHLORODIFLUOROMETHANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	OUT OF SERVICE
CHLOROMETHANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
VINYL CHLORIDE	2.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
BROMOMETHANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
CHLOROETHANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
TRICHLOROFLUOROMETHANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
1,1-DICHLOROETHENE	5.0 ug/l	0.5 ug/l	2.9	1.6	3.6/0.8	2.1/0.1	***59.1/ND	***30.8/ND		
METHYLENE CHLORIDE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
TRANS-1,2-DICHLOROETHENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
1,1-DICHLOROETHANE	5.0 ug/l	0.5 ug/l	1.9	1.4	4.8/3.3	3.8/1.3	***5.5/ND	3.9/ND		
cis -1,2 DICHLOROETHENE	5.0 ug/l	0.5 ug/l	ND	ND	0.6/ND	0.2/ND	1.6/ND	1.2/ND		
2,2-DICHLOROPROPANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
BROMOCHLOROMETHANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
1,1,1-TRICHLOROETHANE	5.0 ug/l	0.5 ug/l	2.3	1.6	4.0/1.9	2.7/0.3	***36.7/ND	***25.7/ND		
CARBON TETRACHLORIDE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
1,1-DICHLOROPROPENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
1,2-DICHLOROETHANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	0.9/ND	0.4/ND		
TRICHLOROETHENE	5.0 ug/l	0.5 ug/l	0.9	0.6	1.5/ND	0.9/ND	***32.1/ND	***23.8/ND		
1,2-DICHLOROPROPANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
DIBROMOMETHANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
TRANS-1,3-DICHLOROPROPENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
cis -1,3-DICHLOROPROPENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
1,1,2-TRICHLOROETHANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
TETRACHLOROETHENE	5.0 ug/l	0.5 ug/l	ND	ND	2.4/ND	1.4/ND	***9.6/ND	***7.2/ND		

CONT. - CONTAMINANT

ND - NOT DETECTED

\*\*\* - EXCEEDS NEW YORK STATE/USEPA LIMITS FOR POTABLE WATER

WELL NO. 3-1 - OUT OF SERVICE

( ) - NUMBER OF SAMPLES COLLECTED AND TESTED DURING THE YEAR

**PLAINVIEW WATER DISTRICT  
2010 WATER QUALITY DATA (continued)**

PARAMETERS (ug/l)	MAX. CONT. LEVEL	DETECT LIMITS	WELL NO. 1-1 N-4095 <sup>(9)</sup>		WELL NO. 1-2 N-4096 <sup>(14)</sup>		WELL NO. 2-1 N-7528 <sup>(26)</sup>		WELL NO. 3-1 N-4097	
			MAX. RESULT	AVG. RESULT	MAX. RESULT	AVG. RESULT	MAX. RESULT (Raw/Treated)	AVG. RESULT (Raw/Treated)	MAX. RESULT	AVG. RESULT
<b>VOLATILE ORGANICS (CONT'D.)</b>										
1,3-DICHLOROPROPANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	OUT OF SERVICE
CHLOROBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
1,1,1,2-TETRACHLOROETHANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
BROMOBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
1,1,1,2-TETRACHLOROETHANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
1,2,3-TRICHLOROPROPANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
2-CHLOROTOLUENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
4-CHLOROTOLUENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
1,2-DICHLOROBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
1,3-DICHLOROBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
1,4-DICHLOROBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
1,2,4-TRICHLOROBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
HEXACHLOROBUTADIENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
1,2,3-TRICHLOROBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
BENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
TOLUENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
ETHYLBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
M,P-XYLENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
O-XYLENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
STYRENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
ISOPROPYLBENZENE (CUMENE)	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
N-PROPYLBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	
1,3,5-TRIMETHYLBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND	

CONT. - CONTAMINANT

ND - NOT DETECTED

WELL NO. 1-1 - OUT OF SERVICE DURING 2009

WELL NO. 3-1 - OUT OF SERVICE

( ) - NUMBER OF SAMPLES COLLECTED AND TESTED DURING THE YEAR

**PLAINVIEW WATER DISTRICT  
2010 WATER QUALITY DATA (continued)**

PARAMETERS (ug/l)	MAX. CONT. LEVEL	DETECT. LIMITS	WELL NO. 1-1 N-4095 <sup>(6)</sup>		WELL NO. 1-2 N-4096 <sup>(14)</sup>		WELL NO. 2-1 N-7526 <sup>(25)</sup>		WELL NO. 3-1 N-4097	
			MAX. RESULT	AVG. RESULT	MAX. RESULT	AVG. RESULT	MAX. RESULT (Raw/Treated)	AVG. RESULT (Raw/Treated)	MAX. RESULT	AVG. RESULT
<b>VOLATILE ORGANICS (CONT'D.)</b>										
TERT-BUTYLBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	OUT OF SERVICE	SERVICE
1,2,4-TRIMETHYLBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND		
SEC-BUTYLBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND		
4-ISOPROPYLTOLUENE (P-CUMENE)	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND		
N-BUTYLBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND		
METHYL TERT.BUTYL ETHER (MTBE)	10.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND		

CONT. - CONTAMINANT

ND - NOT DETECTED

WELL NO. 1-1 - OUT OF SERVICE DURING 2009

WELL NO. 3-1 - OUT OF SERVICE

( ) - NUMBER OF SAMPLES COLLECTED AND TESTED DURING THE YEAR

PLAINVIEW WATER DISTRICT  
2010 WATER QUALITY DATA (continued)

PARAMETERS (ug/l)	MAX. CONT. LEVEL	DETECT LIMITS	WELL NO. 3-2 N-6580		WELL NO. 4-2 N-6077 <sup>(24)</sup>		WELL NO. 4-3 N-6076 <sup>(4)</sup>		WELL NO. 5-1 N-6956 <sup>(25)</sup>		
			MAX. RESULT	AVG. RESULT	MAX. RESULT (Raw/Treat)	AVG. RESULT (Raw/Treat)	MAX. RESULT	AVG. RESULT	MAX. RESULT (Raw/Treat)	AVG. RESULT (Raw/Treat)	
<b>VOLATILE ORGANICS</b>			OUT OF SERVICE		ND	ND	ND	ND	ND	ND	
DICHLORODIFLUOROMETHANE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
CHLOROMETHANE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
VINYL CHLORIDE	2.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
BROMOMETHANE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
CHLOROETHANE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
TRICHLOROFLUOROMETHANE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
1,1-DICHLOROETHENE	5.0 ug/l	0.5 ug/l			2.8/ND	1.8/ND	ND	ND	0.7/ND	0.2/ND	0.2/ND
METHYLENE CHLORIDE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
TRANS-1,2-DICHLOROETHENE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
1,1-DICHLOROETHANE	5.0 ug/l	0.5 ug/l			***7.7/ND	***5.1/ND	0.6	0.2	1.6/ND	1.2/ND	1.2/ND
<i>cis</i> -1,2 DICHLOROETHENE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	0.6/ND	0.1/ND	0.1/ND
2,2-DICHLOROPROPANE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
BROMOCHLOROMETHANE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
1,1,1-TRICHLOROETHANE	5.0 ug/l	0.5 ug/l			2.6/ND	1.9/ND	ND	ND	0.7/ND	0.5/ND	0.5/ND
CARBON TETRACHLORIDE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
1,1-DICHLOROPROPENE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
1,2-DICHLOROETHANE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
TRICHLOROETHENE	5.0 ug/l	0.5 ug/l			***5.8/ND	3.6/ND	ND	ND	0.9/ND	0.7/ND	0.7/ND
1,2-DICHLOROPROPANE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
DIBROMOMETHANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND		
TRANS-1,3-DICHLOROPROPENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND		
<i>cis</i> -1,3-DICHLOROPROPENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND		
1,1,2-TRICHLOROETHANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND		
TETRACHLOROETHENE	5.0 ug/l	0.5 ug/l	4.5/ND	3.0/ND	ND	ND	ND	ND	ND		

CONT. - CONTAMINANT

ND - NOT DETECTED

WELL NO. 3-2 - OUT OF SERVICE

( ) - NUMBER OF SAMPLES COLLECTED AND TESTED DURING THE YEAR

PLAINVIEW WATER DISTRICT  
2010 WATER QUALITY DATA (continued)

PARAMETERS (ug/l)	MAX CONT. LEVEL	DETECT. LIMITS	WELL NO. 3-2 N-6580		WELL NO. 4-2 N-6077 <sup>(24)</sup>		WELL NO. 4-3 N-6076 <sup>(4)</sup>		WELL NO. 5-1 N-6956 <sup>(25)</sup>		
			MAX. RESULT	AVG. RESULT	MAX. RESULT (Raw/Treat)	AVG. RESULT (Raw/Treat)	MAX. RESULT	AVG. RESULT	MAX. RESULT (Raw/Treat)	AVG. RESULT (Raw/Treat)	
<b>VOLATILE ORGANICS (CONT'D.)</b>			<b>OUT OF SERVICE</b>		ND	ND	ND	ND	ND	ND	
1,3-DICHLOROPROPANE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
CHLOROBENZENE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
1,1,1,2-TETRACHLOROETHANE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
BROMOBENZENE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
1,1,1,2-TETRACHLOROETHANE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
1,2,3-TRICHLOROPROPANE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
2-CHLOROTOLUENE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
4-CHLOROTOLUENE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
1,2-DICHLOROBENZENE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
1,3-DICHLOROBENZENE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
1,4-DICHLOROBENZENE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
1,2,4-TRICHLOROBENZENE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
HEXACHLOROBUTADIENE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
1,2,3-TRICHLOROBENZENE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
BENZENE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
TOLUENE	5.0 ug/l	0.5 ug/l			ND	ND	ND	ND	ND	ND	ND
ETHYLBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND		
M,P-XYLENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND		
O-XYLENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND		
STYRENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND		
ISOPROPYLBENZENE (CUMENE)	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND		
N-PROPYLBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND		
1,3,5-TRIMETHYLBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	ND	ND	ND		

CONT. - CONTAMINANT

ND - NOT DETECTED

WELL NO. 3-2 - OUT OF SERVICE

( ) - NUMBER OF SAMPLES COLLECTED AND TESTED DURING THE YEAR

PLAINVIEW WATER DISTRICT  
2010 WATER QUALITY DATA (continued)

PARAMETERS (ug/l)	MAX. CONT. LEVEL	DETECT LIMITS	WELL NO. 3-2 N-6580		WELL NO. 4-2 N-6077 <sup>(24)</sup>		WELL NO. 4-3 N-6076 <sup>(4)</sup>		WELL NO. 5-1 N-6956 <sup>(25)</sup>	
			MAX. RESULT	AVG. RESULT	MAX. RESULT (Raw/Treat)	AVG. RESULT (Raw/Treat)	MAX. RESULT	AVG. RESULT	MAX. RESULT (Raw/Treat)	AVG. RESULT (Raw/Treat)
<b>VOLATILE ORGANICS (CONT'D.)</b>										
TERT-BUTYLBENZENE	5.0 ug/l	0.5 ug/l	OUT OF SERVICE		ND	ND	ND	ND	ND	ND
1,2,4-TRIMETHYLBENZENE	5.0 ug/l	0.5 ug/l		ND	ND	ND	ND	ND	ND	ND
SEC-BUTYLBENZENE	5.0 ug/l	0.5 ug/l		ND	ND	ND	ND	ND	ND	ND
4-ISOPROPYLTOLUENE (P-CUMENE)	5.0 ug/l	0.5 ug/l		ND	ND	ND	ND	ND	ND	ND
N-BUTYLBENZENE	5.0 ug/l	0.5 ug/l		ND	ND	ND	ND	ND	ND	ND
METHYL TERT.BUTYL ETHER (MTBE)	10.0 ug/l	0.5 ug/l		ND	ND	ND	ND	ND	ND	ND

CONT. - CONTAMINANT

ND - NOT DETECTED

WELL NO. 3-2 - OUT OF SERVICE

( ) - NUMBER OF SAMPLES COLLECTED AND TESTED DURING THE YEAR

PLAINVIEW WATER DISTRICT  
2010 WATER QUALITY DATA (continued)

PARAMETERS (ug/l)	MAX. CONT. LEVEL	DETECT. LIMITS	WELL NO. 5-2 N-7421 <sup>(25)</sup>		WELL NO. 5-3 N-8054 <sup>(20)</sup>		WELL NO. 5-4 N-8595		WELL NO. 7-1 <sup>(23)</sup>	
			MAX. RESULT (Raw/Treat)	AVG. RESULT (Raw/Treat)	MAX. RESULT (Raw/Treat)	AVG. RESULT (Raw/Treat)	MAX. RESULT	AVG. RESULT	MAX. RESULT (Raw/Treat)	AVG. RESULT (Raw/Treat)
<b>VOLATILE ORGANICS</b>										
DICHLORODIFLUOROMETHANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
CHLOROMETHANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
VINYL CHLORIDE	2.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
BROMOMETHANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
CHLOROETHANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
TRICHLOROFLUOROMETHANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
1,1-DICHLOROETHENE	5.0 ug/l	0.5 ug/l	1.3/ND	0.9/ND	2.5/ND	0.9/ND	OUT OF SERVICE		2.0/ND	1.5/ND
METHYLENE CHLORIDE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
TRANS-1,2-DICHLOROETHENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
1,1-DICHLOROETHANE	5.0 ug/l	0.5 ug/l	3.1/ND	2.0/ND	***7.5/ND	4.0/ND	OUT OF SERVICE		ND	ND
cis -1,2 DICHLOROETHENE	5.0 ug/l	0.5 ug/l	ND	ND	3.5/ND	2.0/ND	OUT OF SERVICE		2.2/ND	1.8/ND
2,2-DICHLOROPROPANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
BROMOCHLOROMETHANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
1,1,1-TRICHLOROETHANE	5.0 ug/l	0.5 ug/l	1.7/ND	1.3/ND	2.4/ND	1.4/ND	OUT OF SERVICE		2.6/ND	2.0/ND
CARBON TETRACHLORIDE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
1,1-DICHLOROPROPENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
1,2-DICHLOROETHANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
TRICHLOROETHENE	5.0 ug/l	0.5 ug/l	1.3/ND	1.0/ND	3.6/ND	1.9/ND	OUT OF SERVICE		***93.6/1.0	***76.5/0.4
1,2-DICHLOROPROPANE	5.0 ug/l	0.5 ug/l	1.0/ND	0.4/ND	ND	ND	OUT OF SERVICE		ND	ND
DIBROMOMETHANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
TRANS-1,3-DICHLOROPROPENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
cis -1,3-DICHLOROPROPENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
1,1,2-TRICHLOROETHANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
TETRACHLOROETHENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		***32.1/ND	***24.7/ND

CONT. - CONTAMINANT

ND - NOT DETECTED

\*\*\* - EXCEEDS NEW YORK STATE/USEPA LIMITS FOR POTABLE WATER

WELL NO. 5-4 OUT OF SERVICE

( ) - NUMBER OF SAMPLES COLLECTED AND TESTED DURING THE YEAR

PLAINVIEW WATER DISTRICT  
2010 WATER QUALITY DATA (continued)

PARAMETERS (ug/l)	MAX. CONT. LEVEL	DETECT. LIMITS	WELL NO. 5-2 N-7421 <sup>(25)</sup>		WELL NO. 5-3 N-8054 <sup>(20)</sup>		WELL NO. 5-4 N-8595		WELL NO. 7-1 <sup>(23)</sup>	
			MAX. RESULT (Raw/Treat)	AVG. RESULT (Raw/Treat)	MAX. RESULT (Raw/Treat)	AVG. RESULT (Raw/Treat)	MAX. RESULT	AVG. RESULT	MAX. RESULT (Raw/Treat)	AVG. RESULT (Raw/Treat)
<b>VOLATILE ORGANICS (CONT'D.)</b>										
1,3-DICHLOROPROPANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
CHLOROBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
1,1,1,2-TETRACHLOROETHANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
BROMOBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
1,1,2,2-TETRACHLOROETHANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
1,2,3-TRICHLOROPROPANE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
2-CHLOROTOLUENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
4-CHLOROTOLUENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
1,2-DICHLOROBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
1,3-DICHLOROBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
1,4-DICHLOROBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
1,2,4-TRICHLOROBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
HEXACHLOROBUTADIENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
1,2,3-TRICHLOROBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
BENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
TOLUENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
ETHYLBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
M,P-XYLENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
O-XYLENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
STYRENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
ISOPROPYLBENZENE (CUMENE)	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
N-PROPYLBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
1,3,5-TRIMETHYLBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND

CONT. - CONTAMINANT

ND - NOT DETECTED

WELL NO. 5-4 OUT OF SERVICE

( ) - NUMBER OF SAMPLES COLLECTED AND TESTED DURING THE YEAR

**PLAINVIEW WATER DISTRICT  
2010 WATER QUALITY DATA (continued)**

PARAMETERS (ug/l)	MAX. CONT. LEVEL	DETECT. LIMITS	WELL NO. 5-2 N-7421 <sup>(28)</sup>		WELL NO. 5-3 N-8054 <sup>(28)</sup>		WELL NO. 5-4 N-8595		WELL NO. 7-1 <sup>(25)</sup>	
			MAX. RESULT (Raw/Treat)	AVG. RESULT (Raw/Treat)	MAX. RESULT (Raw/Treat)	AVG. RESULT (Raw/Treat)	MAX. RESULT	AVG. RESULT	MAX. RESULT (Raw/Treat)	AVG. RESULT (Raw/Treat)
<b><u>VOLATILE ORGANICS (CONT'D.)</u></b>										
TERT-BUTYLBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND	OUT OF SERVICE		ND	ND
1,2,4-TRIMETHYLBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND			ND	ND
SEC-BUTYLBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND			ND	ND
4-ISOPROPYLTOLUENE (P-CUMENE)	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND			ND	ND
N-BUTYLBENZENE	5.0 ug/l	0.5 ug/l	ND	ND	ND	ND			ND	ND
METHYL TERT.BUTYL ETHER (MTBE)	10.0 ug/l	0.5 ug/l	ND	ND	ND	ND			ND	ND

CONT. - CONTAMINANT

ND - NOT DETECTED

WELL NO. 5-4 OUT OF SERVICE

( ) - NUMBER OF SAMPLES COLLECTED AND TESTED DURING THE YEAR